

Karhunen–Loève Expansion of a Set of Rotated Templates

Matjaž Jogan, *Student Member, IEEE*, Emil Žagar, and Aleš Leonardis, *Member, IEEE*

Abstract—In this paper, we propose a novel method for efficiently calculating the eigenvectors of uniformly rotated images of a set of templates. As we show, the images can be optimally approximated by a linear series of eigenvectors which can be calculated without actually decomposing the sample covariance matrix.

Index Terms—Circulant matrices, eigenvectors, Karhunen–Loève expansion, symmetric matrices, Toeplitz matrices.

I. INTRODUCTION

THERE are several applications in computer vision where a template or a set of templates must be learned in a way that enables recognition or matching in every possible orientation of the target. It is clear that when using direct correlation, a large set of templates must be stored and compared with the target. Several researchers have therefore used techniques that compute an optimal approximation of a family of rotated templates [1]–[3].

Among the most popular approximation techniques in computer vision is the so-called Principal Component Analysis (PCA), also known as the Karhunen–Loève expansion, that represents images with features—coefficient vectors—which are the projections of images onto an orthogonal set of eigenvectors.

Eigenvectors are usually calculated using the singular value decomposition of the covariance matrix. They are then sorted according to their eigenvalues, which are related to the variance in the set of images that each eigenvector encompasses. By retaining only a small number of eigenvectors with the largest eigenvalues, we construct an approximation of the learning set of images, which is the optimal linear representation in the least squared error sense.

In this article we discuss the special properties of the eigenspace of a set of rotated templates. Our work was primarily triggered by a previous contribution of Uenohara and Kanade [4], which explained the tight relationship of the eigenspace of a single rotated template and the Discrete Cosine

Transform. In this contribution we further analyze the problem of rotation and prove that for *multiple rotated templates* there also exists an alternative and faster method of calculation which, in contrast to the case of a single template, is based on complex Discrete Fourier Transform.

The organization of the paper is as follows. First we review the related work on the eigenvectors of special matrices, such as those of a Toeplitz or circulant form. In Section III we summarize the method of calculating the eigenvectors of a set of rotated versions of a single template. In Section IV we show how one can generalize this method for a set of several rotating templates. A practical demonstration of the method is presented in Section V. Finally, in Section VI we give a brief summary of the paper.

II. REVIEW OF RELATED WORK

In their correspondence in these Transactions, Uenohara and Kanade [4] describe the relationship between the eigenvectors of a set of uniformly in-plane rotated images of an object and the basis vectors of the DCT. They show that the eigenvectors are completely defined by the fact that the inner product matrix of the image vectors is a symmetric Toeplitz matrix. As they claim, the eigenvectors of the inner product matrix are invariant of the image content and can be generated much more efficiently by calculating the DCT transform of the autocorrelation vector. This greatly alleviates the computational expense of the training phase. The authors also mention the relation of their results to those obtained by Perona [2] and Freeman [5] on steerable filters. The main drawback of the method described in [4] is that it can only be applied for a single in-plane rotated template. In this article we therefore extend the work of [4] to the case of multiple in-plane rotated templates.

As we pointed out in [3], the eigenvectors of a training set consisting of several rotated objects or scenes can not be calculated directly with the use of DCT. However, the structure of the basis functions calculated by SVD resembled that of a combination of harmonics basis. The properties of the eigenvectors of Toeplitz matrices have been thoroughly described before in Sjöström [6] or Gray [7]. In both works it is shown that a circulant matrix (a special case of a Toeplitz matrix) can be diagonalized by the Fourier coefficient matrix, which is a property we will exploit in Section IV.

III. EIGENSPACE REPRESENTATION OF A SET OF ROTATED VERSIONS OF A SINGLE TEMPLATE

In this section we briefly summarize the procedure for calculating the eigenspace of a set of rotated versions of a single

Manuscript received September 18, 2001; revised December 17, 2002. This work was supported by the Ministry of Education, Science, and Sport of the Republic of Slovenia (SI-A, SI-CZ, SI-USA, research program Computer Vision - 506), the EU CEC (IST-2000-29375) CogVis project, and the ECVision, EU (IST-2002-35454) research network. The associate editor coordinating the review of this manuscript and approving it for publication was Dr. Josiane B. Zerubia.

M. Jogan and A. Leonardis are with the Faculty of Computer and Information Science, University of Ljubljana, SI-1001 Ljubljana, Slovenia (e-mail: matjaz.jogan@fri.uni-lj.si; alesl@fri.uni-lj.si).

E. Žagar is with the Faculty of Mathematics and Physics, University of Ljubljana, SI-1000 Ljubljana, Slovenia.

Digital Object Identifier 10.1109/TIP.2003.813141




Fig. 1. Template of a toy hammer rotated by 0° , 30° , 60° , and 90° , respectively.

template, as described in [4] and introduce the notation which will be used throughout the paper.

As a set of rotated versions of a template we understand images captured from a single point of view, but under different in-plane rotations. The only constraint is that with the in-plane rotation the information content is preserved. Such is the case when rotating an image of an object on a homogeneous background [4] (Fig. 1), or with panoramic images rotated around the optical axis [3] (Fig. 3). To obtain the images of a template in all the possible rotations, we can rotate the original image sequentially by an angle of $2\pi/N$. In the digital case, this rotation can be described more accurately, if we warp the image to a polar representation as in Fig. 2. In this case, we can rotate the image just by shifting the columns accordingly.

We represent images from the training set as normalized image vectors, from which the mean image is subtracted, in an image matrix $X \in \mathbb{R}^{n \times N}$

$$X = [\mathbf{x}_0 \quad \mathbf{x}_1 \quad \cdots \quad \mathbf{x}_{N-1}]$$

where n is the number of pixels in the image and N is the number of images.

The most straightforward way to solve the eigensystem is to calculate the SVD of the covariance matrix $C \in \mathbb{R}^{n \times n}$ of this normalized vector matrix

$$C = XX^T = [\mathbf{x}_0 \quad \mathbf{x}_1 \quad \cdots \quad \mathbf{x}_{N-1}] \begin{bmatrix} \mathbf{x}_0^T \\ \mathbf{x}_1^T \\ \vdots \\ \mathbf{x}_{N-1}^T \end{bmatrix}.$$

The eigenvectors \mathbf{v}_i , $i = 0, \dots, N-1$, form an orthogonal basis. Sorted with respect to descending eigenvalues λ_i , $i = 0, \dots, N-1$, they represent the best linear approximation of the image data. Since the number of pixel elements n in an image is usually high, the computation of the matrix C is a time consuming task of high storage demands. However, it is possible to formulate the equations in such a way that it becomes sufficient to calculate the eigenvectors \mathbf{v}'_i , $i = 0, \dots, N-1$, of the inner product matrix $Q \in \mathbb{R}^{N \times N}$

$$Q = X^T X = \begin{bmatrix} \mathbf{x}_0^T \\ \mathbf{x}_1^T \\ \vdots \\ \mathbf{x}_{N-1}^T \end{bmatrix} [\mathbf{x}_0 \quad \mathbf{x}_1 \quad \cdots \quad \mathbf{x}_{N-1}]. \quad (1)$$

Since the eigenvectors \mathbf{v}'_i are the solutions of $X^T X \mathbf{v}'_i = \lambda_i \mathbf{v}'_i$, we can calculate the eigenvectors of XX^T by $XX^T X \mathbf{v}'_i = \lambda_i X \mathbf{v}'_i$ [8]. In this way, we derive the eigenvectors \mathbf{v}_i of the covariance matrix just by projecting the \mathbf{v}'_i on the set of images

$$\mathbf{v}_i = \frac{1}{\sqrt{\lambda_i}} X \mathbf{v}'_i.$$

Uenohara and Kanade [4] showed that in the case of an image set consisting of rotated examples of one original image, Q is a circulant symmetric Toeplitz matrix and its eigenvectors \mathbf{v}'_i are



Fig. 2. Warped template of a toy hammer rotated 0° , 30° , 60° , and 90° by shifting the columns.




Fig. 3. Panoramic image obtained with a catadioptric omnidirectional camera.




Fig. 4. First six eigenvectors of the uniformly rotated template of a toy hammer.

therefore not dependent on the contents of the images [4].¹ Q is of the form

$$Q = \begin{bmatrix} q_0 & q_1 & \cdots & q_{N-2} & q_{N-1} \\ q_{N-1} & q_0 & q_1 & \cdots & q_{N-2} \\ q_{N-2} & q_{N-1} & q_0 & q_1 & \cdots \\ \cdots & \cdots & \cdots & \cdots & \cdots \\ q_1 & \cdots & q_{N-2} & q_{N-1} & q_0 \end{bmatrix}.$$

It can be derived from the *shift theorem* [9], that the eigenvectors of a general circulant matrix are the N basis vectors from the Fourier matrix $F = [\mathbf{v}'_0, \mathbf{v}'_1, \dots, \mathbf{v}'_{N-1}]$, where

$$\mathbf{v}'_i = [1, \omega^i, \omega^{2i}, \dots, \omega^{(N-1)i}]^T, \quad i = 0, \dots, N-1$$

and $\omega = e^{-2\pi j/N}$, $j = \sqrt{-1}$. The eigenvalues can be calculated simply by retrieving the magnitude of the DFT of one row of Q

$$\lambda_i = \sum_{k=0}^{N-1} q_k \omega^{ik}.$$

This interesting property also emphasizes the central point of the Fourier analysis, as it indicates that the Fourier basis diagonalizes every periodic constant coefficient operator, in our case the circular shift operator [10]. In other words, all basis functions of the Fourier transform are eigenvectors of the circular shift operator [9].

Since $q_i = q_{N-i}$, our matrix is circulant symmetric, and therefore we can choose an appropriate set of real-valued orthogonal eigenvectors. As it turns out, the proper basis are the cosine functions from the real and the sine functions from the imaginary part of the Fourier matrix [10].

¹Note that in the case of rotating a digital image, this is just an approximation, unless we use the polar representation of images, as in Fig. 2.

We can therefore compute the eigensystem of Q just by first computing the autocorrelation vector

$$[q_0, q_1, q_2, \dots, q_{N-1}]$$

and then by calculating the λ_i values, which should be afterwards sorted by decreasing magnitude. The eigenvectors \mathbf{v}'_i corresponding to k largest eigenvalues can then easily be selected from the corresponding basis vectors of the Discrete Cosine Transform (DCT) [4]

$$v'_{im} = \cos \left[\frac{\pi(2m+1)i}{2N} \right]; \quad \begin{matrix} m = 0, \dots, N-1 \\ i = 0, \dots, k-1 \end{matrix}$$

Thus, with the help of the DCT, it is possible to compute the basis vectors much more efficiently. Examples of the first six eigenvectors for the uniformly rotated template of the toy hammer can be seen in Fig. 4.

IV. GENERALIZED METHOD FOR A SET OF SEVERAL ROTATED TEMPLATES

When dealing with multiple templates, the calculation described in the previous section can not be applied. In this case, we deal with P different templates (images), each of them being rotated N times (Fig. 5). In this case, we cannot directly apply the previous approach to the calculation of eigenvectors of circulant matrices, since the inner product matrix A

$$A = X^T X = \begin{bmatrix} Q_{00} & Q_{01} & \cdots & Q_{0,P-1} \\ Q_{10} & Q_{11} & \cdots & Q_{1,P-1} \\ \cdots & \cdots & \cdots & \cdots \\ Q_{P-1,0} & Q_{P-1,1} & \cdots & Q_{P-1,P-1} \end{bmatrix}$$

is composed of several circulant blocks Q_{jk} , which are, in general, not symmetric. However, as we will show, it is still pos-




Fig. 5. Original templates of five objects (first row), and warped images of the original images in three orientations.

sible to calculate the eigenvectors without performing the SVD decomposition of X .

We have to find a solution of the eigenvalue problem

$$A\mathbf{w}' = \mu\mathbf{w}' \quad (2)$$

where (μ, \mathbf{w}') is the eigenpair of A . The fact that the matrix blocks Q_{jk} of A are circulant matrices is crucial. As it was already mentioned, every circulant matrix can be diagonalized in the same basis by Fourier matrix F . Consequently all the submatrices Q_{jk} have the same set of eigenvectors \mathbf{v}'_i , $i = 0, \dots, N-1$. Following [11], we shall find the eigenvectors \mathbf{w}' of A among the vectors of the form

$$\mathbf{w}'_i = [\alpha_{i0}\mathbf{v}'_i, \alpha_{i1}\mathbf{v}'_i, \dots, \alpha_{i,P-1}\mathbf{v}'_i]^T \quad (3)$$

where $i = 0, \dots, N-1$. Equation (2) can be rewritten block-wise as

$$\sum_{k=0}^{P-1} Q_{jk}(\alpha_{ik}\mathbf{v}'_i) = \mu\alpha_{ij}\mathbf{v}'_i, \quad j = 0, \dots, P-1.$$

Since \mathbf{v}'_i is an eigenvector of every Q_{jk} , the equations simplify to

$$\sum_{k=0}^{P-1} \alpha_{ik}\lambda_{jk}^i \mathbf{v}'_i = \mu\alpha_{ij}\mathbf{v}'_i, \quad j = 0, \dots, P-1$$

where λ_{jk}^i is an eigenvalue of Q_{jk} corresponding to \mathbf{v}'_i . This implies a new eigenvalue problem

$$\Lambda^i \boldsymbol{\alpha}_i = \mu \boldsymbol{\alpha}_i \quad (4)$$

where

$$\Lambda^i = \begin{bmatrix} \lambda_{00}^i & \lambda_{01}^i & \dots & \lambda_{0,P-1}^i \\ \lambda_{10}^i & \lambda_{11}^i & \dots & \lambda_{1,P-1}^i \\ \dots & \dots & \dots & \dots \\ \lambda_{P-1,0}^i & \lambda_{P-1,1}^i & \dots & \lambda_{P-1,P-1}^i \end{bmatrix}$$

and

$$\boldsymbol{\alpha}_i = [\alpha_{i0}, \alpha_{i1}, \dots, \alpha_{i,P-1}]^T.$$

Since $Q_{jk} = Q_{kj}^T$, it can be proved that Λ^i is Hermitian and we have P linearly independent eigenvectors $\boldsymbol{\alpha}_i$, which provide P linearly independent eigenvectors \mathbf{w}'_i in (3). Since the same procedure can be performed for every \mathbf{v}'_i , we can obtain $N \cdot P$ linearly independent eigenvectors of A .

It is therefore possible to solve the eigenproblem using N decompositions of order P . Since P represents the number of unique templates and is therefore usually small in comparison to the total number of images $P \cdot N$, this method offers a similar improvement as the method in [4]. Assuming that the time complexity of decomposing a $n \times n$ matrix is $O(n^3)$, our method accomplishes the task in $N \cdot O(P^3)$ time instead of $O((N \cdot P)^3)$.

However, by looking at the properties of the circulant matrices one can deduce, that this method works only if we use the complex Fourier basis as the eigenvector set for the circulant matrix. In fact, this set of basis vectors is the only common eigenspace for all the submatrices Q_{ij} from A . Further, as it was shown in Sanchez *et al.* [12], all the matrices that have the DCT




Fig. 6. First 40 components of the eigenbasis. Pairs of vectors that differ only in phase form a complex eigenvector.

as their eigenvectors are generally full matrices of the form of a Toeplitz matrix combined with a near-Hankel matrix scaled by some constant factors [10]. Since our matrix A does not belong to this class, we cannot use any of the known DCT basis functions to diagonalize it in a real basis effectively as in the case of a single template [4]. Therefore, using a complex basis in the calculation of the final representation results in a complex set of eigenvectors \mathbf{w}_i' .

Since both the covariance matrix C and the inner product matrix A are symmetric matrices, they obviously have real eigenvalues and eigenvectors. We can find them by using the following observations. The symmetric structure of the real matrix A implies that the eigenvectors come in conjugated pairs with

the same eigenvalue. Therefore, the real and imaginary parts of complex eigenvectors are also real eigenvectors of A . By considering the multiplicity of the eigenvalues, we can construct the real set of eigenvectors as follows: in the case of a simple eigenvalue, the corresponding eigenvector is already real, or can be obtained by normalizing the complex one by its nonzero component. In the case of double eigenvalues, the real set of eigenvectors can be generated by selecting just one of the conjugated pair of the complex eigenvectors with the same eigenvalue and taking its real and imaginary parts as a new pair of real eigenvectors with the same eigenvalue. In a general case, the real eigenvectors can be obtained by the orthogonalization of the set of real and imaginary components of the complex eigenvectors.




Fig. 7. A map of an indoor environment which was represented by an appearance-based model constructed from the set of images acquired at 62 positions denoted with squares.

However, in practice, when dealing with images, it is not likely that such a case would occur. So, the proposed method turns out to be very efficient in practical applications. An example of the basis set of eigenvectors can be seen in Fig. 6.

However, one can use also the complex basis; in this case we reduce every conjugated pair to a single complex eigenvector. Since pairs of trigonometric functions are more intuitively described in the complex space, calculations with such a basis are even easier than with the real one.

V. PRACTICAL DEMONSTRATION—APPEARANCE-BASED REPRESENTATION OF AN ENVIRONMENT USING AN EIGENSPACE OF ROTATED PANORAMIC IMAGES

Our algorithm opens up many possibilities of use in practical applications. As we show here, there exist specific recognition problems that require multiple rotated templates to be encompassed in a single eigenspace which makes possible to interpolate the model in order to represent images that were not explicitly included in the training set. Although this may not be

intuitive for sets of templates that are quite different in their appearance, it gets clearer when we look at specific situations. One of the possible applications where our algorithm shows its potential is the task of appearance-based localization, where the appearance of the environment is represented by a training set of panoramic snapshots representing distinct locations in the environment [3]. Examples of four panoramic views can be seen in Fig. 7.

It is easy to demonstrate that if the panoramic sensor has a fixed orientation, two images taken at nearby positions tend to be strongly correlated. Since correlation is related to the distance of image projections in the eigenspace [13], it is obvious that by interpolating that representation one can get a much finer (although approximate) representation of the appearance of the environment from the neighboring positions. By virtually rotating all of the panoramic images in order to represent multiple in-plane rotations of the robot, the problem to solve is identical to that of multiple rotated templates. One could argue that each location could be represented by its own eigenspace, however, an interpolated representation is possible only if all of the positions are represented in a unique eigenspace.




Fig. 8. First 56 eigenvectors constructed from the set of 62 panoramic images, each rotated (shifted) 50 times.

To further explore the topic, we performed a set of experiments that show the advantage of our method in the case of appearance-based mobile robot localization. As a testing platform, we used a mobile robot equipped with a panoramic camera. The idea was to perform an exploration phase and construct a model of an indoor environment by acquiring panoramic images at 62 measured positions. In our experiment, we chose these positions to be on a 60×60 cm squared grid, denoted as squares in Fig. 7. The first 56 eigenvectors calculated from these images and their rotated versions can be seen in Fig. 8.

To build a denser representation we interpolated the coefficients of training images on a 5×5 cm grid. The interpolated coefficients for rotated versions of images were also generated. In that way, intermediate positions are also represented in the model although no images from those positions were included in the training set.

VI. CONCLUSIONS

We have shown how to compute the K–L expansion of a set of uniformly rotated images arriving from different objects or scenes. Using our method one can construct an optimal linear basis without performing the Singular Value Decomposition on the whole set of images or their covariance matrix. Instead, we show that the system can be solved by operating on a set of smaller eigenproblems of order P , where P is the number of templates we want to represent. Since P is usually small in comparison with the total number of images ($P \cdot N$), this method offers a similar improvement as the method in [4] in the case of a single image.

Furthermore, the method provides an insight in the calculation of the Karhunen–Loève expansion for sets of rotated templates; by following the procedure, it can be proven that, also for the set of several rotated templates, the final eigenvectors are composed by locally varying harmonic functions. Once known, these properties can easily be exploited in order to ease the recognition or enable scale invariance.

We demonstrated the practical application of our method by constructing an appearance-based model of an environment, which can be used for the task of mobile robot localization. Since there is a need for explicit interpolation of the representation in order to represent in-between positions, the task to solve is identical to that having a set of multiple rotated templates which have to be represented in a unique eigenspace.

REFERENCES

- [1] S. Yoshimura and T. Kanade, "Fast template matching based on the normalized correlation by using multiresolution eigenimages," in *Proc. IROS'94*, 1994.
- [2] P. Perona, "Deformable kernels for early vision," in *Proc. CVPR'91*, 1991, pp. 222–227.
- [3] M. Jogan and A. Leonardis, "Robust localization using eigenspace of spinning-images," in *Proc. IEEE Workshop Omnidirectional Vision*, June 2000, pp. 37–44.
- [4] M. Uenohara and T. Kanade, "Optimal approximation of uniformly rotated images: Relationships between Karhunen–Loève expansion and discrete cosine transform," *IEEE Trans. Image Processing*, vol. 7, pp. 116–119, Jan. 1998.
- [5] W. T. Freeman and E. H. Adelson, "The design and use of steerable filters," *IEEE Trans. Pattern Anal. Machine Intell.*, vol. 13, no. 9, pp. 891–906, 1991.
- [6] E. Lundström, "Singular value computations for toeplitz matrices and subspace tracking," Ph.D. dissertation, Linköpings Univ., Sweden, 1996.
- [7] R. M. Gray, "Toeplitz and circulant matrices: A review," Stanford University, Tech. Rep., 2000.
- [8] D. Ballard, *Natural Computation*. Cambridge, MA: MIT Press, 1996.
- [9] B. Jähne, H. Haußecker, and P. Geißler, Eds., *Handbook of Computer Vision and Applications*. New York: Academic, 1999.
- [10] C. Strang, "The discrete cosine transform," *SIAM Rev.*, vol. 41, no. 1, pp. 135–147, 1999.
- [11] S. Rjasanow, "Effective algorithms with circulant-block matrices," *Linear Algebra Applicat.*, vol. 202, pp. 55–69, 1994.
- [12] V. Sánchez, P. García, and A. M. Peinado, "Diagonalizing properties of the discrete cosine transform," *IEEE Trans. Signal Processing*, vol. 43, pp. 2631–2641, Nov. 1995.
- [13] S. Nayar and T. Poggio, Eds., *Early Visual Learning*. Oxford, U.K.: Oxford Univ. Press, 1996.
- [14] M. Artaç, M. Jogan, and A. Leonardis, "Incremental PCA for on-line visual learning and recognition," in *Proc. ICPR 2002*, vol. III, 2002, pp. 781–784.



Matjaž Jogan (S'02) received the B.Sc. and M.Sc. degrees in computer science from the University of Ljubljana, Slovenia, in 1999 and 2002, respectively. He is currently a teaching assistant and a Ph.D. candidate at the Faculty of Computer and Information Science, University of Ljubljana.

As a member of the Cognitive Vision Group at the Computer Vision Laboratory, he is active as a Researcher in the field of cognitive vision. Within this area, he is particularly interested in subspace methods for visual learning, omnidirectional vision, and mo-


bile robot localization.



Emil Žagar was born on August 16, 1969 in Ljubljana, Slovenia. After he finished his diploma work at the University of Ljubljana, he was working as an assistant for mathematics at the Faculty of Mechanical engineering, Faculty of Computer and Information Science, and Faculty of Physics and Mathematics. He received the Ph.D. degree in 2002 at the University of Ljubljana.

He is now working at the Faculty of Mathematics and Physics, University of Ljubljana, as an assistant for numerical mathematics and mathematical modeling.

His research interest is in numerical mathematics, especially parametric spline curves and related problems.



Aleš Leonardis (S'87–M'92) received the Ph.D. degree in computer science from the University of Ljubljana, Slovenia, in 1993. Currently, he is an Associate Professor at the Faculty of Computer and Information Science at the University of Ljubljana.

From 1988 to 1991, he was a Visiting Researcher in the General Robotics and Active Sensory Perception Laboratory at the University of Pennsylvania, Philadelphia. Between 1995 and 1997, he was a Postdoctoral Associate at Vienna University of Technology, Austria. He was also a

Visiting Professor at the ETH, Switzerland, and at the Technische Fakultät der Friedrich-Alexander-Universität in Erlangen, Germany. He is author or coauthor of more than 120 papers published in journals and conferences, and he coauthored the book *Segmentation and Recovery of Superquadrics* (Norwell, MA: Kluwer, 2000). His research interests include robust and adaptive methods for computer vision, object and scene recognition, learning, and 3-D object modeling. He is an Associate Editor of *Pattern Recognition*.

Dr. Leonardis is currently serving as the Slovenian representative in the Governing Board of the International Association for Pattern Recognition.